

being

PET

House PET Collection

Brochure and
Specification

PET COLLECTION

Material Overview


The Being House PET Collection combines contemporary aesthetics with effective acoustic performance, making it an ideal solution for modern workspaces. Manufactured from recycled PET the collection is available in an extensive palette of colours and in both 12mm and 24mm thicknesses.

Suitable for use with both Fence Linear and Fence Wrapped Screens, the Being House PET Collection also lends itself to a variety of interior applications, including custom acoustic and decorative panels.


Refer to original samples for exact colour match




U04



U44




U07




U52




U06




U01



U43



U29



U02



U49




U50




U14



U03



U51



U46



U53

PET COLLECTION


Refer to original samples for exact colour match



U17



U18



U34



U22




U31



U13




U23



U47




U32




U15




U42




U35



U24




U40




U21




U54




U33



U16



U19



U48

PET COLLECTION

Refer to original samples for exact colour match



U37




U30




U08



U09



U41




U39




U12



U25



U20



U27



U11



U55



U63



U65




U75




U76



U67



U68



U78



U79

PET COLLECTION

Refer to original samples for exact colour match



U70



U71



U82



U83



U73




U74




U85




U86



U77



U61




U64



U81



U80




U88



U89




U90




U84



U91



U92



U93

PET COLLECTION

Refer to original samples for exact colour match



U87




U94




U95



U96



U10



U26



U36




U62




U38



U45



U05



U66



U28



U56




U57



U69




U58



U59



U60



U72

Applications

- Workstation screens
- Wall panels
- Suspended panels
- Acoustic solutions
- Public spaces

Performance & Suitability

- 96 colours
- 12mm and 24 mm thickness
- Acoustic properties
- Fire rated
- Thermal insulation
- Impact resistance
- Printable
- Custom laser cut decorative designs

Specification

Item

Composition	100% Polyester fibre Contains 75-100% post consumer recycled PET bottle flake
Material Thickness	12mm and 24mm
Density	12mm 2400g/m ² 24mm 3800g/m ²
Antibacterial	ASTM G 21-15 (2021)
Colour Fastness to Light	ISO - B02 : 2014
Fire Retardent Properties	ISO 9705 - 2003 (R2016) BS 476 - 7 CLASS 1 EN 13501 - 1 CLASS B ASTM E84 CLASS A
Acoustics	NRC 0.8 (50mm air gap)

being